

Iowa Influenza Surveillance Network (IISN)

Influenza-like Illness (ILI) and Other Respiratory Viruses

Weekly Activity Report

For the week ending January 3, 2015 - Week 53

All data presented in this report are provisional and may change as additional reports are received



Quick Stats	
Percent of outpatient visits for ILI ¹	2.8% (baseline 1.7%)
Percent of influenza rapid test positive	35.2% (1319/3745)
Percent of RSV rapid tests positive	15.9% (48/302)
Percent school absence due to illness*	N/A (due to holiday break)
Number of schools with ≥10% absence due to illness	0 (due to holiday break)
Influenza-associated hospitalizations**	182/6,163 inpatients surveyed
Influenza-associated pediatric mortality (Cumulative)	2
¹ ILI: Influenza-like Illness is defined as a fever of ≥100° F as well as cough and/or sore throat. *Percent school absence due to illness are reported through a weekly survey of lowa sentinel scho *Percent school absence due to illness are reported through a weekly survey of lowa sentinel school *Percent school absence due to illness are very outputs the percent of through a weekly survey of lowa sentinely and the percent of the p	


Iowa Influenza Geographic Spread ²					
No Activity					
Sporadic					
Local					
Regional					
Widespread					
² This is based on CDC's activity estimates definition <u>www.cdc.gov/flu/weekly/overview.htm</u>					


Iowa statewide activity summary:

Influenza activity is widespread across Iowa. IDPH continues to receive reports of influenza-related outbreaks in long term care facilities. There have been 32 reported influenza outbreaks in Iowa long term care facilities this influenza season. IDPH has confirmed two influenza-related deaths in children (age 0-17), and a third pediatric death is under investigation. All three strains currently circulating are covered by this year's vaccine - A(H3N2), A(H1N1) and B. Some of the A(H3N2) viruses circulating nationally and in Iowa are a drifted strain.

For this reporting week, the State Hygienic Laboratory detected 91 flu A(H3N2), 5 flu A(pending subtype), four flu B(Yamagata lineage), and two flu B(pending subtype) cases. No schools reported 10 percent or greater absenteeism due to illness (due to the holiday break) and nine long-term care outbreaks were investigated. This reporting week, 182 influenza-associated hospitalizations were reported from sentinel hospitals.

National activity summary - (CDC):





Synopsis: During week 53 (December 28, 2014-January 3, 2015), influenza activity continued at elevated levels in the United States.

Viral Surveillance: Of 30,469 specimens tested and reported by U.S. World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 53, 7,515 (24.7%) were positive for influenza.

Pneumonia and Influenza Mortality: The proportion of deaths attributed to pneumonia and influenza (P&I) was above the epidemic threshold.

Influenza-associated Pediatric Deaths: Five influenza-associated pediatric deaths were reported.

Influenza-associated Hospitalizations: A cumulative rate for the season of 20.1 laboratory-confirmed influenza-associated hospitalizations per 100,000 population was reported.

Outpatient Illness Surveillance: The proportion of outpatient visits for influenza-like illness (ILI) was 5.6%, above the national baseline of 2.0%. All 10 regions reported ILI at or above region-specific baseline levels. Puerto Rico and 26 states experienced high ILI activity; New York City and eight states experienced moderate ILI activity; seven states experienced low ILI activity; eight states experienced minimal ILI activity; and the District of Columbia and one state had insufficient data.

Geographic Spread of Influenza: The geographic spread of influenza in Guam and 46 states was reported as widespread; Puerto Rico, the U.S. Virgin Islands and three states reported regional activity; and the District of Columbia and one state reported local activity. Detailed information can be found online at www.cdc.gov/flu/weekly/

International activity summary - (WHO):

Globally influenza activity continued to increase in the northern hemisphere with influenza A(H3N2) viruses predominating so far. The antigenic characterization of most recent A(H3N2) viruses so far indicated differences from the A(H3N2) virus used in the influenza vaccines for the northern hemisphere 2014-2015. Detailed information can be found online at

www.who.int/influenza/surveillance monitoring/updates/latest update GIP surveillance/en/.

<u>Laboratory surveillance program:</u>


The State Hygienic Laboratory (SHL) is the primary lab for influenza testing and reporting in Iowa. SHL reports the number of tests performed and the type and strain of positive tests to the influenza surveillance network several times every week. In addition, SHL surveys clinical and reference labs for the number of rapid-antigen tests performed and number positive weekly. This report also includes the positive non-influenza virus tests reported from SHL, the Dunes Medical Laboratories at Mercy Medical Center in Sioux City, and Iowa Methodist Medical Center in Des Moines.


Table 1: I	able 1: Influenza A viruses detected by SHL by age group							
	CURRENT WEEK				YEA	AR TO DATE (9/1/:	14 – PRESENT WEE	K)
			Flu	ı A				
Age Group	A(H1N1)pdm09	A(H3)	Subtype Pending	Not subtyped	A(H1N1)pdm09	A(H3)	Subtype Pending	Not subtyped
0-4	0(0%)	8(9%)	0(0%)	0(0%)	2(33%)	52(10%)	0(0%)	0(0%)
5-17	0(0%)	5(5%)	0(0%)	0(0%)	1(17%)	96(18%)	0(0%)	2(22%)
18-24	0(0%)	1(1%)	0(0%)	0(0%)	0(0%)	45(9%)	0(0%)	1(11%)
25-49	0(0%)	5(5%)	1(20%)	0(0%)	2(33%)	66(13%)	1(14%)	0(0%)
50-64	0(0%)	12(13%)	0(0%)	0(0%)	1(17%)	47(9%)	0(0%)	3(33%)
>64	0(0%)	60(66%)	4(80%)	0(0%)	0(0%)	222(42%)	6(86%)	3(33%)
Total	0	91	5	0	6	528	7	9

^{*}Counts of three or less are sometimes suppressed to protect confidentiality. Note that counts may not add up to the total due to missing age information

[&]quot;Not subtyped" column is due to weak detections. This can be due to poor collection, timing of collection or stage of infection.

		CURRENT WEEK		YEAR TO DATE (9/1/14 – PRESENT WEEK)			
Age	Flu B			Flu B			
Group	Victoria Lineage	Yamagata Lineage	Lineage Pending	Victoria Lineage	Yamagata Lineage	Lineage Pending	
0-4	0(0%)	1(25%)	1(50%)	1(33%)	4(21%)	0(0%)	
5-17	0(0%)	1(25%)	1(50%)	0(0%)	7(37%)	0(0%)	
18-24	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	0(0%)	
25-49	0(0%)	2(50%)	0(0%)	1(33%)	4(21%)	0(0%)	
50-64	0(0%)	0(0%)	0(0%)	0(0%)	3(16%)	3(100%)	
>64	0(0%)	0(0%)	0(0%)	1(33%)	1(5%)	0(0%)	
Total	0	4	2	3	19	3	







Rapid influenza and RSV test surveillance:

The State Hygienic Laboratory (SHL) runs a weekly web-based survey program where laboratorians report the number of influenza and respiratory syncytial virus (RSV) rapid tests performed and the number of tests positive. This table includes only the number of patients tested for influenza or RSV at laboratory surveillance sites throughout the state. This table does not provide case counts.

Table 2: Percent of influenza rapid tests positive and number of tests performed by region for the present week										
REGION*		RAPID ANTIGEN INFLUENZA TESTS					RAPID ANTIGEN RSV TESTS			
REGION	Tested	Flu A	Flu B	Undefined	% Positive	Tested	Positive	% Positive		
Region 1	464	151	2	0	33.0	45	11	24.4		
Region 2	172	51	3	0	31.4	9	3	33.3		
Region 3	579	168	2	0	29.4	65	12	18.5		
Region 4	336	120	4	0	36.9	23	5	21.7		
Region 5	415	122	3	0	30.1	49	5	10.2		
Region 6	1779	670	21	2	39.0	111	12	10.8		
Total	3745	1319	1282	35	35.2	302	48	15.9		

*Region 1- Boone, Calhoun, Carroll, Dallas, Greene, Grundy, Hamilton, Hardin, Jasper, Marshall, Polk, Poweshiek, Story, Tama, Warren, Webster; Region 2- Allamakee, Bremer, Butler, Cerro Gordo, Chickasaw, Emmet, Fayette, Floyd, Franklin, Hancock, Howard, Humboldt, Kossuth, Mitchell, Winnebago, Winneshiek, Worth, Wright: Region 3- Buena Vista, Cherokee, Clay, Crawford, Dickinson, Ida, Lyon, Monona, O'Brien, Osceola, Palo Alto, Plymouth, Pocahontas, Sac, Sioux, Woodbury; Region 4- Adairs, Audubon, Cass, Clarke, Decatur, Fremont, Guthrie, Harrison, Madison, Mills, Montgomery, Page, Pottawattamie, Ringgold, Shelby, Taylor, Union; Region 5- Appanoose, Davis, Des Moines, Henry, Jefferson, Keokuk, Lee, Louisa, Lucas, Mahaska, Marion, Monroe, Muscatine, Van Buren, Wapello, Washington, Wayne; Region 6- Benton, Black Hawk, Buchanan, Cedar, Clayton, Clinton, Delaware, Dubuque, Iowa, Jackson, Johnson, Jones, Linn, Scott.






Non-influenza respiratory virus:


Table 4: Number of positive results for non-influenza respiratory virus isolated by SHL, Mercy Dunes in Sioux City and Iowa Methodist Medical Center						
Viruses	CURRENT WEEK	CUMULATIVE (9/1/14 – PRESENT WEEK)				
Adenovirus	5	114				
Parainfluenza Virus Type 1	0	1				
Parainfluenza Virus Type 2	3	90				
Parainfluenza Virus Type 3	4	24				
Parainfluenza Virus Type 4	3	14				
Rhinovirus/Enterovirus	20	549				
Respiratory syncytial virus (RSV)	11	39				
Human metapneumovirus (hMPV)	3	12				
Total	49	843				

Influenza-associated hospitalizations:

Sentinel hospitals that participate in IISN voluntarily track and report the number of influenza-associated hospitalizations and the total number of inpatients each week.

Table 5: Number of influenza-associated hospitalization reported by age group						
AGE	CURRENT WEEK	CUMULATIVE (9/1/14 – PRESENT WEEK)				
Age 0-4	12	50				
Age 5-24	12	47				
Age 25-49	8	41				
Age 50-64	16	94				
Age >64	134	414				
Total	182	646				






Outpatient health care provider surveillance program (ILINet):

Outpatient health care providers who participate in the ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week. This system is a key part of lowa's influenza surveillance. Iowa health care providers interested in joining this surveillance program should contact Kemi Oni at 515-725-2136 or oluwakemi.oni@idph.iowa.gov for more information.

Table 6: Outpatient visits for influenza-like illness (ILI) – past 3 weeks								
Hospitalization	%ILI	Total ILI	Age 0-4	Age 5-24	Age 25-49	Age 50-64	Age >64	
Week 51, ending Dec 20	0.75	265	42	151	40	20	12	
Week 52, ending Dec 27	0.78	186	26	77	44	20	19	
Week 53, ending Jan 3	2.8	51	6	8	14	1	22	



^{*}Database used to calculate this percentage has been modified to more accurately reflect what is occuring in acute care outpatient clinics in Iowa.

10 percent school absenteeism:


Schools (k-12) track and report outbreaks of influenza-like illness when the number of students absent with illness reaches or exceeds 10 percent of total student enrollment. Regional map with schools that have ≥10% absence due to illness for this current reporting week is displayed below.

No school reporting for current week due to the holiday break.

School surveillance program:

Sentinel schools that participate in IISN voluntarily track and report absence due to all illness (including non-influenza illnesses) and the total enrollment each week.

No reporting for current week due to the holiday break.




Long-term Care Outbreaks

Table 7: Number of long-term care outbreaks investigated						
REGION*	CURRENT WEEK	CUMULATIVE (9/1/14 – PRESENT WEEK)				
Region 1	0	8				
Region 2	3	6				
Region 3	3	6				
Region 4	1	7				
Region 5	1	2				
Region 6	1	3				
Tota	9	32				

*Region 1- Boone, Calhoun, Carroll, Dallas, Greene, Grundy, Hamilton, Hardin, Jasper, Marshall, Polk, Poweshiek, Story, Tama, Warren, Webster; Region 2- Allamakee, Bremer, Butler, Cerro Gordo, Chickasaw, Emmet, Fayette, Floyd, Franklin, Hancock, Howard, Humboldt, Kossuth, Mitchell, Winnebago, Winneshiek, Worth, Wright; Region 3- Buena Vista, Cherokee, Clay, Crawford, Dickinson, Ida, Lyon, Monona, O'Brien, Osceola, Palo Alto, Plymouth, Pocahontas, Sac, Sioux, Woodbury; Region 4- Adairs, Adudbon, Cass, Clarke, Decatur, Fremont, Guthrie, Harrison, Madison, Mills, Montgomery, Page, Pottawattamie, Ringgold, Shelby, Taylor, Union; Region 5- Appanosoo, Davis, Des Moines, Henry, Jefferson, Keokuk, Lee, Louisa, Lucas, Mahaska, Marion, Monroe, Muscatine, Van Buren, Wapello, Washington, Wayne; Region 6- Benton, Black Hawk, Buchanan, Cedar, Clayton, Clinton, Delaware, Dubuque, Iowa, Jackson, Johnson, Jones, Linn, Scott.

Seasonal influenza vaccination:

Seasonal influenza vaccination data in Iowa is based on doses reported to the Iowa Immunization Registry Information System (IRIS). IRIS is a confidential, computerized, population-based system that tracks immunization for children, adolescents and adults who are seen in a variety of public and private healthcare provider sites throught the state of Iowa. For more information on the immunization data, contact Kim Tichy, IRIS coordinator at 515-281-4288 or kimberly.tichy@idph.iowa.gov



Note: The data for the 2014-2015 season is only up to the current week and there is a lag between the vaccine administration date and the date reported to the IRIS. The current season's data will be adjusted as additional data is received.

Other resources:

Vaccine:

Influenza vaccine recommendation: http://www.idph.state.ia.us/ImmTB/Immunization.aspx?prog=Imm&pg=Flu

CDC vaccine information: http://www.cdc.gov/flu/faq/flu-vaccine-types.htm

Vaccine finder: http://vaccinefinder.org/

Neighboring states' influenza information:

Illinois: http://www.idph.state.il.us/flu/surveillance.htm

Minnesota: http://www.health.state.mn.us/divs/idepc/diseases/flu/stats/index.html

Missouri: http://health.mo.gov/living/healthcondiseases/communicable/influenza/reports.php

South Dakota: http://doh.sd.gov/diseases/infectious/flu/

Wisconsin: www.dhs.wisconsin.gov/communicable/influenza/surveillance.htm

Google Flu Trends: http://www.google.org/flutrends/us/#US-IA